

# Safety Data Sheet

acc. to OSHA HCS 29CFR1910.1200

Printing Date 01/26/2018

Version number 3

Reviewed on 01/26/2018

## 1 Identification

**Trade name: NP560****Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Kester Inc.  
800 West Thorndale Avenue  
Itasca, IL 60143 USA  
Tel (630) 616-4000  
Tel International 00 1 630 616-4000

ITW Specialty Materials (Suzhou) Co., Ltd.  
Heng Qiao Road  
Wujiang Economic Development Zone  
Suzhou, Jiangsu 215200 China  
Tel +86 512 82060808

Kester GmbH  
Ganghofer Strasse 45  
D-82216 Gernlinden Germany  
Tel +49 (0) 8142 4785 0

**Information department:** Product Compliance: EHS\_Kester@kester.com**Emergency telephone number:**

CHEMTREC 24-Hour Emergency Response Telephone Number : (800) 424-9300

CHEMTREC 24-Hour Emergency Response (Outside US &amp; Canada) Telephone Number : (703) 527-3887

## 2 Hazard(s) identification

**Classification of the substance or mixture**

Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



Skin Irrit. 2 H315 Causes skin irritation.  
Eye Irrit. 2A H319 Causes serious eye irritation.  
Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Acute 3 H402 Harmful to aquatic life.

**Label elements****GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).**Hazard pictograms**

GHS08

**Safety Data Sheet**  
acc. to OSHA HCS 29CFR1910.1200

Printing Date 01/26/2018

Version number 3

Reviewed on 01/26/2018

**Trade name: NP560**

(Contd. of page 1)

**Signal word** Danger

**Hazard-determining components of labeling:**

Modified Rosin  
Ethoxylated Amines

**Hazard statements**

H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H317 May cause an allergic skin reaction.  
H402 Harmful to aquatic life.

**Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapors/spray  
P264 Wash thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P310 If swallowed: Immediately call a poison center/doctor.  
P302+P352 If on skin: Wash with plenty of soap and water.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Classification system:**

**NFPA ratings (scale 0 - 4)**



**HMIS-ratings (scale 0 - 4)**



**Other hazards**

**Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**3 Composition/information on ingredients**

**Description:** Mixture of the substances listed below with nonhazardous additions.

CAS No.	Description		% Range
CAS: 7440-31-5	TIN (Sn)		70-85%
CAS: 9003-13-8	Tripropylene Glycol n-Butyl Ether	⚠ Skin Irrit. 2, H315	3-5%
Trade Secret	Modified Rosin	⚠ Skin Sens. 1, H317	3-5%
CAS: 7440-22-4	SILVER (Ag)		1-3%
Trade Secret	Proprietary Acid	⚠ Eye Irrit. 2A, H319	1-3%
Trade Secret	Ethoxylated Amines	⚠ Resp. Sens. 1, H334 Aquatic Acute 3, H402	1-3%

(Contd. on page 3)

**Safety Data Sheet**  
acc. to OSHA HCS 29CFR1910.1200

Printing Date 01/26/2018

Version number 3

Reviewed on 01/26/2018

**Trade name: NP560**

(Contd. of page 2)

**SVHC**

This product does not contain any Substance of Very High Concern (SVHC) on the European Chemicals Agency (ECHA) candidate list.

**4 First-aid measures**

**Description of first aid measures**

**General information:** Follow general first aid procedures.

**After inhalation:** Supply fresh air; consult doctor in case of complaints.

**After skin contact:** Immediately wash with water and soap and rinse thoroughly.

**After eye contact:** Rinse opened eye for several minutes under running water.

**After swallowing:** Seek immediate medical advice.

**Information for doctor:**

**Most important symptoms and effects, both acute and delayed** No further relevant information available.

**Indication of any immediate medical attention and special treatment needed** No further relevant information available.

**5 Fire-fighting measures**

**Extinguishing media**

**Suitable extinguishing agents:**

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**Special hazards arising from the substance or mixture** In case of fire, the following can be released:

**Advice for firefighters**

**Protective equipment:** No special measures required.

**6 Accidental release measures**

**Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation

**Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

**Methods and material for containment and cleaning up:** Dispose contaminated material as waste according to item 13.

**Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**Protective Action Criteria for Chemicals**

**PAC-1:**

CAS: 7440-31-5	TIN (Sn)	6 mg/m <sup>3</sup>
CAS: 9003-13-8	Tripropylene Glycol n-Butyl Ether	27 mg/m <sup>3</sup>
CAS: 7440-22-4	SILVER (Ag)	0.3 mg/m <sup>3</sup>
CAS: 7440-50-8	COPPER (Cu)	3 mg/m <sup>3</sup>

**PAC-2:**

CAS: 7440-31-5	TIN (Sn)	67 mg/m <sup>3</sup>
CAS: 9003-13-8	Tripropylene Glycol n-Butyl Ether	300 mg/m <sup>3</sup>
CAS: 7440-22-4	SILVER (Ag)	170 mg/m <sup>3</sup>
CAS: 7440-50-8	COPPER (Cu)	33 mg/m <sup>3</sup>

**PAC-3:**

CAS: 7440-31-5	TIN (Sn)	400 mg/m <sup>3</sup>
CAS: 9003-13-8	Tripropylene Glycol n-Butyl Ether	1,800 mg/m <sup>3</sup>
CAS: 7440-22-4	SILVER (Ag)	990 mg/m <sup>3</sup>

(Contd. on page 4)

**Safety Data Sheet**  
acc. to OSHA HCS 29CFR1910.1200

Printing Date 01/26/2018

Version number 3

Reviewed on 01/26/2018

**Trade name: NP560**

CAS: 7440-50-8 | COPPER (Cu)

(Contd. of page 3)

200 mg/m<sup>3</sup>

**7 Handling and storage**

**Handling:**

**Precautions for safe handling** Prevent formation of dust.

**Information about protection against explosions and fires:** No special measures required.

**Conditions for safe storage, including any incompatibilities**

**Storage:**

**Requirements to be met by storerooms and receptacles:** Store in a cool location.

**Information about storage in one common storage facility:** Not required.

**Further information about storage conditions:** None.

**Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

**Additional information about design of technical systems:** No further data; see item 7.

**Control parameters**

**Components with limit values that require monitoring at the workplace:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

**CAS: 7440-31-5 TIN (Sn)**

PEL Long-term value: 2 mg/m<sup>3</sup>  
metal

REL Long-term value: 2 mg/m<sup>3</sup>

TLV Long-term value: 2 mg/m<sup>3</sup>  
metal

**CAS: 7440-22-4 SILVER (Ag)**

PEL Long-term value: 0.01 mg/m<sup>3</sup>

REL Long-term value: 0.01 mg/m<sup>3</sup>

TLV Long-term value: 0.1 mg/m<sup>3</sup>  
metal: dust and fume

**Additional information:**

PEL = Permissible Exposure Limit (OSHA)

TLV= Threshold Limit Value (ACGIH)

OSHA= Occupational Safety and Health Administration

ACGIH= American Conference of Governmental Industrial Hygienists

**Exposure controls**

**Personal protective equipment:**

**General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

**Breathing equipment:**

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

(Contd. on page 5)

**Safety Data Sheet**  
acc. to OSHA HCS 29CFR1910.1200

Printing Date 01/26/2018

Version number 3

Reviewed on 01/26/2018

**Trade name: NP560**

(Contd. of page 4)

**Protection of hands:**



Protective gloves

**Material of gloves:**

Nitrile rubber, NBR

Natural rubber, NR

**Penetration time of glove material:**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye protection:**



Safety glasses

**9 Physical and chemical properties**

**Information on basic physical and chemical properties**

**General Information**

**Appearance:**

<b>Form:</b>	Pasty
<b>Color:</b>	Silver grey
<b>Odor:</b>	Mild
<b>pH-value:</b>	Not applicable.

**Change in condition**

**Melting point/Melting range:** Undetermined.

**Flash point:** Not applicable.

**Flammability (solid, gaseous):** Not determined.

**Auto igniting:** Product is not selfigniting.

**Danger of explosion:** Product does not present an explosion hazard.

**Vapor pressure:** Not applicable.

**Density:** Not determined.

**Vapor density:** Not applicable.

**Solubility in / Miscibility with**

**Water:** Insoluble.

**Solvent content:**

**Solids content:** 94.0 %

**10 Stability and reactivity**

**Reactivity** No further relevant information available.

**Chemical stability**

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

(Contd. on page 6)

**Safety Data Sheet**  
acc. to OSHA HCS 29CFR1910.1200

Printing Date 01/26/2018

Version number 3

Reviewed on 01/26/2018

**Trade name: NP560**

(Contd. of page 5)

**Possibility of hazardous reactions** No dangerous reactions known.  
**Conditions to avoid** No further relevant information available.  
**Incompatible materials:** No further relevant information available.  
**Hazardous decomposition products:** No dangerous decomposition products known.

**11 Toxicological information**

**Information on toxicological effects**

**Acute toxicity:**

**LD/LC50 values that are relevant for classification:**

**Modified Rosin**

Oral	LD50	>4,000 mg/kg (Rat)
Dermal	LD50	>2,500 mg/kg (rabbit)

**Primary irritant effect:**

**on the skin:** No irritant effect.

**on the eye:** Irritating effect.

**Sensitization:**

Sensitization possible through inhalation.

Sensitization possible through skin contact.

**Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful  
Irritant

**Carcinogenic categories**

**IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

**NTP (National Toxicology Program)**

None of the ingredients is listed.

**OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**12 Ecological information**

**Toxicity**

**Aquatic toxicity:** No further relevant information available.

**Additional ecological information:**

**General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**13 Disposal considerations**

**Waste treatment methods**

**Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)





## Safety Data Sheet

acc. to OSHA HCS 29CFR1910.1200

Printing Date 01/26/2018

Version number 3

Reviewed on 01/26/2018

**Trade name: NP560**

(Contd. of page 7)

CAS: 7440-50-8 | COPPER (Cu)

D

**NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

**CANADA:**

Workplace Hazardous Materials Identification (WHMIS):

This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulation (CPR) and the Safety Data Sheet (SDS) contains all of the information required by the CPR.

**GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

**Hazard pictograms**



GHS08

**Signal word** Danger

**Hazard-determining components of labeling:**

Modified Rosin

Ethoxylated Amines

**Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H402 Harmful to aquatic life.

**Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 If swallowed: Immediately call a poison center/doctor.

P302+P352 If on skin: Wash with plenty of soap and water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**16 Other information**

The information contained herein is based on data considered accurate and is offered solely for information, consideration and investigation. Kester extends no warranties, makes no representations and assumes no responsibility as to the accuracy, completeness or suitability of this data for any purchaser's use. The data on this Material Safety Data Sheet relates only to this product and does not relate to use with any other material or in any process. All chemical products should be used only by, or under the direction of, technically qualified personnel who are aware of the hazards involved and the necessity for reasonable care in handling. Hazard communication regulations require that employees must be trained on how to use a Material Safety Data Sheet as a source for hazard information.

**Department issuing Safety Data Sheet (SDS):** Product Compliance / EHS Department

**Contact:** EHS\_Kester@kester.com

**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

(Contd. on page 9)



## Safety Data Sheet

acc. to OSHA HCS 29CFR1910.1200

Printing Date 01/26/2018

Version number 3

Reviewed on 01/26/2018

**Trade name: NP560**

(Contd. of page 8)

IATA: International Air Transport Association  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
SVHC: Substances of Very High Concern  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  
Resp. Sens. 1: Respiratory sensitisation – Category 1  
Skin Sens. 1: Skin sensitisation – Category 1  
Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3  
**\* Data compared to the previous version altered.**

US