

Safety Data Sheet
acc. to OSHA HCS 29CFR1910.1200

Printing Date 10/27/2017

Version number 10

Reviewed on 10/26/2017

1 Identification

Trade name: 5560 Cleaner

Relevant identified uses of the substance or mixture and uses advised against

Soldering Flux
Professional use of Solder

Application of the substance / the preparation:

Metal cleaner
Soldering flux

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Kester Inc.
800 West Thorndale Avenue
Itasca, IL 60143 USA
Tel (630) 616-4000
Tel International 00 1 630 616-4000

ITW Specialty Materials (Suzhou) Co., Ltd.
Heng Qiao Road
Wujiang Economic Development Zone
Suzhou, Jiangsu 215200 China
Tel +86 512 82060808

Kester GmbH
Ganghofer Strasse 45
D-82216 Gernlinden Germany
Tel +49 (0) 8142 4785 0

Information department: Product Compliance: EHS_Kester@kester.com

Emergency telephone number:

CHEMTREC 24-Hour Emergency Response Telephone Number : (800) 424-9300
CHEMTREC 24-Hour Emergency Response (Outside US & Canada) Telephone Number : (703) 527-3887

2 Hazard(s) identification

Classification of the substance or mixture



Health hazard

Repr. 2 H361 Suspected of damaging fertility or the unborn child.



Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Acute Tox. 4 H302 Harmful if swallowed.

Aquatic Acute 3 H402 Harmful to aquatic life.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 2)

Safety Data Sheet
acc. to OSHA HCS 29CFR1910.1200

Printing Date 10/27/2017

Version number 10

Reviewed on 10/26/2017

Trade name: 5560 Cleaner

(Contd. of page 1)

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS05 GHS07 GHS08

Signal word Danger

Hazard-determining components of labeling:

- thiourea
- Glycolic Acid
- Tetrafluoroboric acid
- nitrilotrimethylenetris(phosphonic acid)
- ammonium chloride

Hazard statements

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H361 Suspected of damaging fertility or the unborn child.
- H402 Harmful to aquatic life.
- H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

- P260 Do not breathe dust/fume/gas/mist/vapors/spray.
- P270 Do not eat, drink or smoke when using this product.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:

NFPA ratings (scale 0 - 4)



Health = 3
Fire = 0
Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = *3
Fire = 0
Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

- PBT:** Not applicable.
- vPvB:** Not applicable.

Safety Data Sheet
acc. to OSHA HCS 29CFR1910.1200

Printing Date 10/27/2017

Version number 10

Reviewed on 10/26/2017

Trade name: 5560 Cleaner

(Contd. of page 2)

3 Composition/information on ingredients

Chemical characterization: Mixtures -

Description: Mixture of the substances listed below with nonhazardous additions.

CAS No.	Description		% Range
CAS: 62-56-6	thiourea	⚠ Acute Tox. 3, H301 ⚠ Repr. 2, H361 ⚠ Aquatic Chronic 2, H411 ⚠ Aquatic Acute 2, H401	5-10%
CAS: 79-14-1	Glycolic Acid	⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318 ⚠ Acute Tox. 4, H302	5-10%
CAS: 16872-11-0	Tetrafluoroboric acid	⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318 ⚠ Flam. Liq. 4, H227	3-5%
CAS: 12125-02-9	ammonium chloride	⚠ Acute Tox. 4, H302; Eye Irrit. 2A, H319	3-5%
CAS: 6419-19-8	nitrilotrimethylenetris(phosphonic acid)	⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318	1-3%
Trade Secret	Organic Acid	⚠ Eye Irrit. 2A, H319	1-3%

4 First-aid measures

Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Follow general first aid procedures.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

Seek immediate medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture In case of fire, the following can be released:

Advice for firefighters

Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA HCS 29CFR1910.1200

Printing Date 10/27/2017

Version number 10

Reviewed on 10/26/2017

Trade name: 5560 Cleaner

(Contd. of page 3)

Methods and material for containment and cleaning up:

Use neutralizing agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1:

CAS: 62-56-6	thiourea	0.38 mg/m ³
CAS: 79-14-1	Glycolic Acid	25 mg/m ³
CAS: 16872-11-0	Tetrafluoroboric acid	8.7 mg/m ³
CAS: 12125-02-9	ammonium chloride	20 mg/m ³
CAS: 6419-19-8	nitrilotrimethylenetris(phosphonic acid)	30 mg/m ³

PAC-2:

CAS: 62-56-6	thiourea	4.1 mg/m ³
CAS: 79-14-1	Glycolic Acid	280 mg/m ³
CAS: 16872-11-0	Tetrafluoroboric acid	97 mg/m ³
CAS: 12125-02-9	ammonium chloride	54 mg/m ³
CAS: 6419-19-8	nitrilotrimethylenetris(phosphonic acid)	69 mg/m ³

PAC-3:

CAS: 62-56-6	thiourea	25 mg/m ³
CAS: 79-14-1	Glycolic Acid	390 mg/m ³
CAS: 16872-11-0	Tetrafluoroboric acid	580 mg/m ³
CAS: 12125-02-9	ammonium chloride	330 mg/m ³
CAS: 6419-19-8	nitrilotrimethylenetris(phosphonic acid)	420 mg/m ³

7 Handling and storage

Handling:

Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.
Prevent formation of aerosols.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS 29CFR1910.1200

Printing Date 10/27/2017

Version number 10

Reviewed on 10/26/2017

Trade name: 5560 Cleaner

(Contd. of page 4)

Control parameters

Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

CAS: 12125-02-9 ammonium chloride

REL	Short-term value: 20 mg/m ³ Long-term value: 10 mg/m ³
TLV	Short-term value: 20 mg/m ³ Long-term value: 10 mg/m ³

CAS: 6419-19-8 nitrilotrimethylenetris(phosphonic acid)

WEEL	Long-term value: 10 mg/m ³
------	---------------------------------------

Additional information:

PEL = Permissible Exposure Limit (OSHA)

TLV= Threshold Limit Value (ACGIH)

OSHA= Occupational Safety and Health Administration

ACGIH= American Conference of Governmental Industrial Hygienists

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment:

When ventilation is not sufficient to remove fumes from the breathing zone, a safety approved respirator or self-contained breathing apparatus should be worn.

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

Protection of hands:



Protective gloves

Material of gloves:

Nitrile rubber, NBR

Natural rubber, NR

Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS 29CFR1910.1200

Printing Date 10/27/2017

Version number 10

Reviewed on 10/26/2017

Trade name: 5560 Cleaner

Body protection:

(Contd. of page 5)



Apron

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form: Liquid
Color: Pink
Odor: Mild

pH-value at 20 °C (68 °F): 1.1

Change in condition

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: 100 °C (212 °F)

Flash point: Not applicable.

Ignition temperature: 440 °C (824 °F)

Auto igniting: Product is not selfigniting.

Danger of explosion: Product does not present an explosion hazard.

Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)

Density at 20 °C (68 °F): 1.09 g/cm³ (9.1 lbs/gal)

Solubility in / Miscibility with

Water: Fully miscible.

Solvent content:

Water: 75.8 %

Solids content: 17.7 %

10 Stability and reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: Strong acids, strong oxidizers.

Hazardous decomposition products: No dangerous decomposition products known.

Safety Data Sheet
acc. to OSHA HCS 29CFR1910.1200

Printing Date 10/27/2017

Version number 10

Reviewed on 10/26/2017

Trade name: 5560 Cleaner

(Contd. of page 6)

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

CAS: 62-56-6 thiourea

Oral	LD50	125 mg/kg (rat)
Dermal	LD50	2,800 mg/kg (rabbit)

CAS: 79-14-1 Glycolic Acid

Oral	LD50	1,950 mg/kg (rat)
------	------	-------------------

Primary irritant effect:

on the skin: Caustic effect on skin and mucous membranes.

on the eye: Irritating effect.

through ingestion: May be harmful if swallowed.

Sensitization: Sensitization possible through inhalation.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Carcinogenic categories

IARC (International Agency for Research on Cancer)

CAS: 62-56-6	thiourea	3
--------------	----------	---

NTP (National Toxicology Program)

CAS: 62-56-6	thiourea	R
--------------	----------	---

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Ecotoxicological effects:

Remark: Harmful to fish

Additional ecological information:

General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Safety Data Sheet
acc. to OSHA HCS 29CFR1910.1200

Printing Date 10/27/2017

Version number 10

Reviewed on 10/26/2017

Trade name: 5560 Cleaner

(Contd. of page 7)

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal must be made according to official regulations.
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

UN-Number

DOT, ADR, IMDG, IATA

UN1760

UN proper shipping name

DOT

ADR

IMDG, IATA

Corrosive liquids, n.o.s. (Glycolic Acid, Fluoroboric acid)
1760 Corrosive liquids, n.o.s. (Glycolic Acid, Fluoroboric acid)
Not regulated
CORROSIVE LIQUID, N.O.S. (Glycolic Acid, FLUOROBORIC ACID)

Transport hazard class(es)

DOT



Class

8 Corrosive substances

ADR, IMDG, IATA



Class

8 Corrosive substances

Packing group

DOT, IMDG, IATA

III

Marine pollutant:

No

Special precautions for user

Not applicable.

EMS Number:

F-A,S-B

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

Transport/Additional information:

ADR

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA HCS 29CFR1910.1200

Printing Date 10/27/2017

Version number 10

Reviewed on 10/26/2017

Trade name: 5560 Cleaner

UN "Model Regulation":

(Contd. of page 8)
UN 1760 CORROSIVE LIQUIDS, N.O.S. (GLYCOLIC ACID, FLUOROBORIC ACID), 8, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

All ingredients are listed on the following Government Inventories:

- China: Inventory of Existing Chemical Substances in China (IECSC)
- Korea: Korea Existing Chemicals List (ECL)
- Europe: European Inventory of Existing Commercial Chemical Substances (EINECS)
- Japan: Inventory of Existing and New Chemical Substances (ENCS)
- Philippines: Philippine Inventory of Chemicals and Chemical Substances (PICCS)
- USA: TSCA (Toxic Substances Control Act) TSCA Inventory of Chemical Substances

USA The following information relates to product regulation specific to the USA.

SARA (Superfund Amendments and Reauthorization Act)

Section 355 (extremely hazardous substances):

None of the ingredient is listed.

Section 313 (Specific toxic chemical listings):

CAS: 62-56-6 | thiourea

TSCA new (21st Century Act) (Substances not listed)

California Proposition 65

Chemicals known to cause cancer:

thiourea

Chemicals known to cause reproductive toxicity:

None of the ingredients is listed.

Carcinogenic categories

EPA (Environmental Protection Agency)

CAS: 16872-11-0 | Tetrafluoroboric acid | I (oral)

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

CANADA:

Workplace Hazardous Materials Identification (WHMIS):

This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulation (CPR) and the Safety Data Sheet (SDS) contains all of the information required by the CPR.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS05 GHS07 GHS08

Signal word Danger

Hazard-determining components of labeling:

thiourea
Glycolic Acid

Safety Data Sheet

acc. to OSHA HCS 29CFR1910.1200

Printing Date 10/27/2017

Version number 10

Reviewed on 10/26/2017

Trade name: 5560 Cleaner

(Contd. of page 9)

Tetrafluoroboric acid
nitrilotrimethylenetris(phosphonic acid)
ammonium chloride

Hazard statements

H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H361 Suspected of damaging fertility or the unborn child.
H402 Harmful to aquatic life.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained herein is based on data considered accurate and is offered solely for information, consideration and investigation. Kester extends no warranties, makes no representations and assumes no responsibility as to the accuracy, completeness or suitability of this data for any purchaser's use. The data on this Material Safety Data Sheet relates only to this product and does not relate to use with any other material or in any process. All chemical products should be used only by, or under the direction of, technically qualified personnel who are aware of the hazards involved and the necessity for reasonable care in handling. Hazard communication regulations require that employees must be trained on how to use a Material Safety Data Sheet as a source for hazard information.

Department issuing Safety Data Sheet (SDS): Product Compliance / EHS Department

Contact: EHS_Kester@kester.com

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Flam. Liq. 4: Flammable liquids – Category 4
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B

(Contd. on page 11)

US

Safety Data Sheet
acc. to OSHA HCS 29CFR1910.1200

Printing Date 10/27/2017

Version number 10

Reviewed on 10/26/2017

Trade name: 5560 Cleaner

(Contd. of page 10)

Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Repr. 2: Reproductive toxicity – Category 2
Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2
Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
*** Data compared to the previous version altered.**

US